



DN15-40 Standard screen


DN	mesh width	Zeta-value	Kv-value
	(mm)	—	(m³/h)
15	1,0	1,7	6,9
20	1,0	2,2	10,8
25	1,0	2	17,8
32	1,0	2,5	26,1
40	1,0	3	36,7



DN50-125 Standard screen


DN	mesh width	Zeta-value	Kv-value
	(mm)	—	(m³/h)
50	1,0	2,7	61
65	1,25	2,9	98,6
80	1,25	3,1	146
100	1,6	2,9	234
125	1,6	2,8	376





DN150-300 Standard screen

DN	mesh width	Zeta-value	Kv-value
	(mm)	--	(m³/h)
150	1,6	5,1	398
200	1,6	6,0	652
250	1,6	4,2	1225
300	1,6	3,7	1873




DN15-40 Fine screen

DN	mesh width	Zeta-value	Kv-value
	(mm)	--	(m³/h)
15	1 +0,25	2,1	6,2
20	1 +0,25	2,5	10,1
25	1 +0,25	2,2	16,8
32	1 +0,25	2,8	24,3
40	1 +0,25	3,8	32,9

DN50-125 Fine screen

DN	mesh width	Zeta-value	Kv-value
50	1 +0,25	4,1	49,5
65	1,25 +0,25	4,4	80,3
80	1,25 +0,25	4,9	115
100	1,6 +0,25	4,5	189
125	1,6 +0,25	4,2	303



DN150-300 Fine screen

DN	mesh width (mm)	Zeta-value --	Kv-value (m³/h)
150	1,6 +0,25	5,6	378
200	1,6 +0,25	7,3	590
250	1,6 +0,25	4,1	1231
300	1,6 +0,25	3,6	1883

